ELSEVIER

Volume 223, Numbers 1–2, December 1998

WEAR

# Contents

Effect of surface waviness on the hydrodynamic lubrication of a plain cylindrical sliding element bearing . . . . . 1
H.E. Rasheed

Non-magnetic fluid grinding . . . . . 7
F.Y. Chang and T.H.C. Childs

Tribology of UHMWPE tested against a stainless steel counterface in unidirectional sliding in presence of model synovial fluids: part 1 . . . . . 13
M. Chandrasekaran, L.Y. Wei, K.K. Venkateshwaran, A.W. Batchelor and N.L. Loh

The solid particle erosion behavior of $Al_{18}B_4O_{33}$ whisker-reinforced AC4C al alloy matrix composites . . . . . 22
J.P. Tu, J. Pan, M. Matsumura and H. Fukunaga

Scaling relationships for the abrasion of steel by diamondlike carbon coatings . . . . . 31
S.J. Harris and A.M. Weiner

Effects of lubricant rheology and additive chemistry in the wear of $Si_3N_4$ sliding on steel . . . . . 37
X.-Z. Zhao, J.-J. Liu and T.E. Fischer

An on-line Hall-effect device for monitoring wear particle in oils . . . . . 44
Y.-C. Chiou, R.-T. Lee and C.-Y. Tsai

Numerical investigation of a new protection method of the tube erosion by particles impingement . . . . . 50
J. Fan, P. Sun, L. Chen and K. Cen

Transient wear of silicon nitride in lubricated rolling contact . . . . . 58
L.-Y. Chao, R. Lakshminarayanan, N. Iyer, G.-Y. Lin and D.K. Shetty

Material removal mechanisms of single-crystal silicon on nanoscale and at ultralow loads . . . . . 66
X. Zhao and B. Bhushan

Abrasive wear behaviour of SiC whisker-reinforced silicate matrix composites . . . . . 79
V.S.R. Murthy, K. Srikanth and C.B. Raju

Microripple formation and removal mechanism of ceramic materials by solid-liquid slurry erosion . . . . . 93
Q. Fang, P.S. Sidky and M.G. Hocking

Elastohydrodynamic lubrication of a finite line contact . . . . . 102
T.-J. Park and K.-W. Kim

Particle erosion—a new concept of flow visualization and boundary layer investigations of rotating machines at high Reynolds numbers . . . . . 110
B.S. Mann

Optimum multilayer TiN–TiCN coatings for wear resistance and actual application . . . . . 119
Y.L. Su and W.H. Kao

Abrasive wear of Al alloy–$Al_2O_3$ particle composite: a study on the combined effect of load and size of abrasive . . . . . 131
D.P. Mondal, S. Das, A.K. Jha and A.H. Yegneswaran

On the effect of misalignment on the performance of U-type lip seal . . . . . 139
M.O.A. Mokhtar, M.A.A. Mohamed, M.E. El-Giddawy and S.A.Y. Yassen

Tribological behaviors of (Ca, Mg)–Sialon under lubricating of polyols . . . . . 143
W. Zhang, W. Liu, H. Liu, L. Yu and Q. Xue

Elsevier Science S.A.

The influence of tip shape in abrasion studied by controlled multiasperity surfaces . . . . . 150
R. Gåhlin, N. Axén and S. Jacobson

Computer image analysis of wear particles in three-dimensions for machine condition monitoring . . . . . 157
Z. Peng and T.B. Kirk

Coating thickness effect on surface damage mode transitions for an ion beam assisted carbon nitride coating subject to sliding contact with a spherical diamond . . . . . 167
D.F. Wang and K. Kato

Wear behaviour of planar-random fibre-reinforced metal matrix composites . . . . . 173
Y. Sahin

List of Keywords . . . . . 185

Author Index of Volume 223 . . . . . 187

Subject Index of Volume 223 . . . . . 189